

Author index 1999

A

Aguilar A., 395
 Alvarez-Peral F.J., 521
 Antonio D.,
 Araújo da Silva K.R., 153
 Argüelles J.C., 521
 Arnold C., 33

B

Bachellier S., 629
 Baida N., 303
 Bailey K., 703
 Baldi F., 69
 Belhadj O., 403
 Belin D., 507
 Ben-Mahrez K., 403
 Bertolla F., 375
 Bes M., 531
 Biaudet V., 579
 Biavati B., 117
 Bisetti N.,
 Bonhivers M., 499
 Boudouma M., 531
 Bouhnik Y.,
 Boulanger P., 499
 Bouyer M., 129
 Bové J.M., 239
 Brun Y., 531
 Buc H., 747
 Buder S., 167
 Buffet-Janvresse C., 143
 Buhmann A., 507
 Buommino E., 13

C

Cabral M.M.D.A., 205
 Caccamo D., 221
 Carrick F.N., 483
 Catania M.R., 13
 Cavin J.M., 189
 Chandler M., 677
 Chart H., 247
 Chetoui H., 265
 China B., 323
 Clément J.-M., 629
 Clewley J.P., 247
 Clewley J.P., 33
 Coimbra R.S., 543
 Courcol R., 317
 Courvalin P., 367
 Craquelin S., 143
 Crociani F., 117
 Cusumano V., 13

D

Dabboussi F., 303
 Dahl M.K., 167
 Daly M.J., 713
 Daly S., 83
 Damiani G., 83
 Danchin A., 727
 Dartois V., 189
 Dary A., 439
 de Graaff L.H., 281
 De Mol P., 265
 Decaris B., 439
 Delhalle E., 265
 de Vries R.P., 281
 Devrin A.C., 323
 Dhaenens L., 475
 Di Cello F., 45, 221
 Dick T., 295
 Dijkshoorn L., 69
 Diviès C., 189
 Domingues R.M.C.P., 257
 Dujon, B., 589

E – F

Ehrmann M., 507
 El Karoui M., 579
 Elomari M., 303
 Etienne J., 531
 Fani F., 221
 Fani R., 45, 69, 83
 Farina F., 5
 Ferenci T., 431
 Ferreira M.C.S., 257
 Fialho A.M., 105
 Fouque F., 333
 Freney J., 531
 Friis C., 775

G

Gala J.L., 129
 Galeotti C.L., 179
 Gelfand M.S., 757
 Gelhaye E., 465
 Gennaro M.L.,
 Giorgini D., 372
 Girjes A.A., 483
 Gonçalves R.B., 61, 257
 Grau S., 507
 Grimont F., 543
 Grimont P.A.D., 543
 Gruss A., 579
 Guedon E., 465
 Guerout A.-M., 643
 Guespin-Michel J., 143, 447

Gugliandolo C., 221
 Guiso N., 333
 Gwinn M.L., 603

H

Haentjens S., 317
 Hamze M., 303
 Hedrick R.P.,
 Hennequin C., 589
 Heusterspreute M., 129
 Hill C.W., 667
 Hofnung M., 577, 629
 Houghton M., 179
 Hozbor D., 333
 Hübner P., 213
 Hurtado A., 247
 Husson M.-O., 475
 Hutter B., 295

I – K

Izard D., 303
 Izzo E., 179
 Jacquemin E., 323
 Jensen L.J., 775
 Klebba P.E., 385
 Kriz P., 372

L

Labarre C., 189
 Larribe M., 372
 Lavin M.F., 483
 Lawson A.J., 247
 Leblond P., 439
 Leclerc H., 303
 Leitão J.H., 105
 Léonard C., 677
 Leriche F., 447
 Letellier L., 499
 Linton D., 247
 Liò P., 83
 Los R., 555
 Losi E., 13
 Lüthy J., 213

M

Macchia P., 385
 Magalhaes P.P., 205
 Mahillon J., 677
 Mainil J., 323
 Makarova K.S., 713
 Malm A., 555
 Mangin I.,
 Marsan L., 781
 Marshall N., 385
 Marsou R., 531

Martin P., 439
 Martínez-Salazar J., 737
 Mattarelli P., 117
 Maugeri T.L., 221
 Mazel D., 643
 Melchers K., 507
 Melin P., 265
 Mendes E.N., 205
 Mercé Nogueras M., 395
 Mérieau A., 447
 Merino, S., 395
 Metherell L., 33
 Meugnier H., 531
 Michel C.,
 Miller S., 385
 Minton K., 713
 Montero M., 95
 Moraes S.R., 257
 Mori E., 83
 Morlupi A., 5
 Mortimer M., 199
 Moura S.B., 205
 Mouton C., 257
 Mouton C., 61
 Mugnai L., 45
 Musilek M., 372
 Mustilli A.C., 179

N - O

Nicoli J.R., 205
 Noppe-Leclercq I., 317
 Ortega de Luna L., 13
 Ortiz E., 737

P - Q

Palleschi C., 5
 Paulsen I.T., 691
 Payot S., 465
 Pepi M., 69
 Perito B., 83
 Pesenti M., 117
 Petit F., 143
 Petitdemange H., 465
 Philippe M., 129
 Pirson V., 323

Plançon L., 499
 Polsinelli M., 199
 Queiroz D.M.M., 205

R

Rabinovitch L., 153
 Ramon A.M., 95
 Ratiner Y.A., 475
 Reeve J.N., 703
 Regeard R., 447
 Regué M., 395
 Rejiba S., 403
 Richard G.-F., 589
 Rocha E.P., 727
 Rocha G.A., 205
 Rodríguez C., 737
 Rodríguez T., 521
 Romero D., 737
 Rossano F., 13
 Rowe-Magnus D.A., 643
 Rudd K.E., 647

S

Sabri A., 265
 Sá-Correia I., 105
 Sagot M.-F., 781
 Saier Jr M.H., 691
 Salzberg S.L., 603
 Schbath S., 579
 Scherer S., 617
 Schönert S., 167
 Schuhmacher A., 507
 Seldin L., 153, 257
 Sentandreu R., 95
 Sfalanga A., 45
 Shapiro J.A., 577
 Shaw K.J.,
 Simonet M., 317
 Simonet P., 375
 Singh S.P., 385
 Smith H.O., 603
 Stanley J., 33, 247
 Studer E., 213
 Sullivan E.R., 69
 Sundqvist G., 61

Surico G., 45
 Szczebara F., 475
 Szczesniak Z., 555

T

Taha M.K., 372
 Tavares I.M., 105
 Tegli S., 45
 Thierry A., 589
 Thonart P., 265
 Tjernberg I., 69
 Tomás J.M., 395
 Tynecka Z., 555

U - Z

Uccelletti D., 5
 Ussery D.W., 775
 Väisänen M.L., 61
 Valencia-Morales E., 737
 Valentin E., 95
 van Belkum A., 617
 Van de Castele M., 21
 van der Toorn J., 69
 van Leeuwen W., 617
 Van Nieuwenhuysen S., 475
 Van Steenberghe T.J.M., 61
 Vandenesch F., 531
 Vandercam B., 129
 Vanechoutte M., 69
 Vanet A., 781
 Vannuffel P., 129
 Verbrugh H., 617
 Verhille S., 303
 Viari A., 727
 Vieira Ê.C., 205
 Visser J., 281
 Viter S.,
 Wallet F., 317
 Weitzenegger T., 507
 Wenner T., 439
 White O., 713
 Williams Y.U., 385
 Wilquet V., 21
 Wolf Y.I., 713
 Yeramian E., 747

Keyword index 1999

A

- α -acetolactate synthase**, Cloning of branched chain amino acid biosynthesis genes and assays of α -acetolactate synthase activities in *Leuconostoc mesenteroides* subsp. *cremoris*, 189
- Acinetobacter baumannii***, PCR detection of aminoglycoside resistance genes: a rapid molecular typing method for *Acinetobacter baumannii*, 317
- Acinetobacter venetianus***, Oil-degrading *Acinetobacter* strain RAG-1 and strains described as '*Acinetobacter venetianus* sp. nov.' belong to the same genomic species, 69
- Acinetobacter***, Oil-degrading *Acinetobacter* strain RAG-1 and strains described as '*Acinetobacter venetianus* sp. nov.' belong to the same genomic species, 69
- activator**, Recognition of regulatory sites by genomic comparison, 757
- Aeromonas hydrophila* serogroup O:34**, Two genes from the capsule of *Aeromonas hydrophila* (serogroup O:34) confer serum resistance to *Escherichia coli* K12 strains, 396
- aflatoxin B1**, Secondary metabolites of *Aspergillus* exert immunobiological effects on human monocytes, 13
- AFLP**, Predictive modelling of fluorescent AFLF: a new approach to the molecular epidemiology of *E. coli*, 33
- α -glucosidase Mall**, Properties of maltose-inducible α -glucosidase Mall (sucrase-isomaltase-maltase) in *Bacillus subtilis*: evidence for its contribution to maltodextrin utilization, 167
- alginate**, Pattern of changes in the activity of enzymes of GDP-D-mannuronic acid synthesis and in the level of transcription of *algA*, *algC* and *algD* genes accompanying the loss and emergence of mucoidy in *Pseudomonas aeruginosa*, 105
- alginate gene transcription**, Pattern of changes in the activity of enzymes of GDP-D-mannuronic acid synthesis and in the level of transcription of *algA*, *algC* and *algD* genes accompanying the loss and emergence of mucoidy in *Pseudomonas aeruginosa*, 105
- algorithm**, Promoter sequences and algorithmical methods for identifying them, 781
- allelic replacement**, Microevolution through DNA exchange among strains of *Neisseria meningitidis* isolated during an outbreak in the Czech Republic, 372
- Amazon**, Re-evaluation of antibiotic and mercury resistance in *Escherichia coli* populations isolated in 1978 from Amazonian rubber tree tappers and Indians, 407
- aminoglycoside resistance**, PCR detection of aminoglycoside resistance genes: a rapid molecular typing method for *Acinetobacter baumannii*, 317
- aminoglycoside**, PCR detection of aminoglycoside resistance genes: a rapid molecular typing method for *Acinetobacter baumannii*, 317
- amylose**, Properties of maltose-inducible α -glucosidase Mall (sucrase-isomaltase-maltase) in *Bacillus subtilis*: evidence for its contribution to maltodextrin utilization, 167
- antibiotic resistance**, Super-integrations, 643
- antibiotic therapy**, Molecular monitoring of human intestinal *Bifidobacterium* strain diversity, 343
- antibiotic**, Re-evaluation of antibiotic and mercury resistance in *Escherichia coli* populations isolated in 1978 from Amazonian rubber tree tappers and Indians, 407
- antibiotics**, Combinatorial approach of bacteria to antibiotic resistance, 367
- antibiotyping**, Epidemiological typing of extended-spectrum β -lactamase-producing *Klebsiella pneumoniae* isolates by pulsed-field gel electrophoresis and antibiotic susceptibility patterns, 265
- antigenic variation**, Functional and evolutionary roles of long repeats in prokaryotes, 727
- AP-PCR**, *Bacteroides fragilis* isolates compared by AP-PCR, 257
- archaea**, The role of the codon first letter in the relationship between genomic GC content and protein amino acid composition, 21 – DNA repeats and archaeal nucleosome positioning, 703
- ARDRA**, Polyphasic approach to the characterisation of marine luminous bacteria, 221
- Aspergillus niger***, CreA modulates the XlnR-induced expression on xylose of *Aspergillus niger* genes involved in xylan degradation, 281
- Aspergillus***, Secondary metabolites of *Aspergillus* exert immunobiological effects on human monocytes, 13
- ATP synthesis**, Energy conservation in aerobically grown *Staphylococcus aureus*, 555
- ATPase**, Membrane topology of CadA homologous P-type ATPase of *Helicobacter pylori* as determined by expression of *phoA* fusions in *Escherichia coli* and the positive inside rule, 507

B

- Bacillus sphaericus***, Phenotypic and genetic diversity among *Bacillus sphaericus* strains isolated in Brazil, potentially useful as biological control agents against mosquito larvae, 153
- Bacillus subtilis***, Properties of maltose-inducible α -glucosidase Mall (sucrase-isomaltase-maltase) in *Bacillus subtilis*: evidence for its contribution to maltodextrin utilization, 167
- bacterial colonization**, Effect of growth temperature on the biosynthesis of cell wall proteins from *Bifidobacterium globosum*, 117
- bacterial competence**, Horizontal gene transfers in the environment: natural transformation as a putative process for gene transfers between transgenic plants and microorganisms, 375
- bacterial genome**, IS elements as constituents of bacterial genomes, 677 – Tandem repeats in complete bacterial genome sequences: sequence and structural analyses for comparative studies, 747

- bacterial growth**, Molecular genetic characterisation of *whiB3*, a mycobacterial homologue of a *Streptomyces* sporulation factor, 295 – Production of viable cultures of *Flavobacterium psychrophilum*: approach and control, 351 – 'Growth of bacterial cultures' 50 years on: towards an uncertainty principle instead of constants in bacterial growth kinetics, 413
- bacterial resistance**, Combinatorial approach of bacteria to antibiotic resistance, 367
- bacteriophage**, Phage DNA transport across membranes, 499
- Bacteroides fragilis**, *Bacteroides fragilis* isolates compared by AP-PCR, 257
- base composition**, Three views of microbial genomes, 775
- Bifidobacterium**, Effect of growth temperature on the biosynthesis of cell wall proteins from *Bifidobacterium globosum*, 117 – Molecular monitoring of human intestinal *Bifidobacterium* strain diversity, 343
- BIME**, Short palindromic repetitive DNA elements in enterobacteria: a survey, 629
- biocontrol**, Phenotypic and genetic diversity among *Bacillus sphaericus* strains isolated in Brazil, potentially useful as biological control agents against mosquito larvae, 153
- biodegradation**, Biodegradation of phenylbenzoate and some of its derivatives by *Scedosporium apiospermum*, 413
- biological control**, Isolation and characterisation of a new antagonistic *Burkholderia* strain from the rhizosphere of healthy tomato plants, 45
- β -lactam antibiotic**, β -lactamase-mediated resistance to extended spectrum cephalosporins among clinical isolates of *Pseudomonas aeruginosa*, 403
- β -lactamase**, β -lactamase-mediated resistance to extended spectrum cephalosporins among clinical isolates of *Pseudomonas aeruginosa*, 403
- Bordetella bronchiseptica**, Detection of *Bordetella bronchiseptica* by the polymerase chain reaction, 333
- branched chain amino acid biosynthesis genes**, Cloning of branched chain amino acid biosynthesis genes and assays of α -acetolactate synthase activities in *Leuconostoc mesenteroides* subsp. *cremoris*, 189
- Burkholderia cepacia complex**, Isolation and characterisation of a new antagonistic *Burkholderia* strain from the rhizosphere of healthy tomato plants, 45
- C**
- CadA**, Membrane topology of CadA homologous P-type ATPase of *Helicobacter pylori* as determined by expression of *phoA* fusions in *Escherichia coli* and the positive inside rule, 507
- Campylobacter coli**, Study of the presence of *Campylobacter jejuni* and *C. coli* in sand samples from four Swiss chicken farms, 213
- Campylobacter jejuni**, Study of the presence of *Campylobacter jejuni* and *C. coli* in sand samples from four Swiss chicken farms, 213
- Campylobacter**, *Campylobacter coli* strains with enlarged flagellin genes isolated from river water, 247
- Candida albicans**, Trehalose hydrolysis is not required for human serum-induced dimorphic transition in *Candida albicans*: evidence from a *ps1/tps1* mutant deficient in trehalose synthesis, 521
- capsule switch**, Microevolution through DNA exchange among strains of *Neisseria meningitidis* isolated during an outbreak in the Czech Republic, 372
- capsule**, Two genes from the capsule of *Aeromonas hydrophila* (serogroup O:34) confer serum resistance to *Escherichia coli* K12 strains, 396
- cell wall morphogenesis**, Mutants of *Kluyveromyces lactis* with altered protein glycosylation are affected in cell wall morphogenesis, 5
- cell wall proteins**, Effect of growth temperature on the biosynthesis of cell wall proteins from *Bifidobacterium globosum*, 117
- cell wall**, *Yarrowia lipolytica* cell wall architecture: interaction of Ywp1, a mycelian protein, with other wall components and the effect of its depletion, 105
- cellobiose**, Induction of lactate production associated with a decrease in NADH cell content enables growth resumption of *Clostridium cellulolyticum* in batch cultures on cellobiose, 465
- cephalosporinase**, β -lactamase-mediated resistance to extended spectrum cephalosporins among clinical isolates of *Pseudomonas aeruginosa*, 403
- chemostat culture**, 'Growth of bacterial cultures' 50 years on: towards an uncertainty principle instead of constants in bacterial growth kinetics, 413
- Chi**, Characteristics of Chi distribution on different bacterial genomes, 579
- chicken farming**, Study of the presence of *Campylobacter jejuni* and *C. coli* in sand samples from four Swiss chicken farms, 213
- chitin**, Mutants of *Kluyveromyces lactis* with altered protein glycosylation are affected in cell wall morphogenesis, 5
- Chlamydia**, Single DNA sequence common to all chlamydial species employed for PCR detection of these organisms, 483
- cloning**, Heterogeneity of the *eae* genes in attaching/effacing *Escherichia coli* from cattle: comparison with human strains, 323
- Clostridium cellulolyticum**, Induction of lactate production associated with a decrease in NADH cell content enables growth resumption of *Clostridium cellulolyticum* in batch cultures on cellobiose, 465
- colanic acid**, Two genes from the capsule of *Aeromonas hydrophila* (serogroup O:34) confer serum resistance to *Escherichia coli* K12 strains, 396
- combinatorial genetics**, Combinatorial approach of bacteria to antibiotic resistance, 367
- complete genome**, Recognition of regulatory sites by genomic comparison, 757
- complete genomes**, Three views of microbial genomes, 775
- computer analysis**, Recognition of regulatory sites by genomic comparison, 757
- CreA**, CreA modulates the XlnR-induced expression on xylose of *Aspergillus niger* genes involved in xylan degradation, 281
- cytokine**, Secondary metabolites of *Aspergillus* exert immunobiological effects on human monocytes, 13
- cytoplasmic membrane**, Membrane topology of CadA homologous P-type ATPase of *Helicobacter pylori* as determined by expression of *phoA* fusions in *Escherichia coli* and the positive inside rule, 507

D

damaged berries, On the origins of wine yeast, 199

database, Novel intergenic repeats of *Escherichia coli* K-12, 647

Deinococcus radiodurans, Short repeats and IS elements in the extremely radiation-resistant bacterium *Deinococcus radiodurans* and comparison to other bacterial species, 713

developmental control, Evolution of the linear chromosomal DNA in *Streptomyces*: is genomic variability developmentally modulated?, 439

diacetyl, Cloning of branched chain amino acid biosynthesis genes and assays of α -acetolactate synthase activities in *Leuconostoc mesenteroides* subsp. *cremoris*, 189

diagnosis, Detection of *Bordetella bronchiseptica* by the polymerase chain reaction, 333

diaryl esters, Biodegradation of phenylbenzoate and some of its derivatives by *Scedosporium apiospermum*, 413

differential diagnosis, Molecular characterization of *femA* from *Staphylococcus hominis* and *Staphylococcus saprophyticus*, and *femA*-based discrimination of staphylococcal species, 129

dimorphic transition, Trehalose hydrolysis is not required for human serum-induced dimorphic transition in *Candida albicans*: evidence from a *ps1/tps1* mutant deficient in trehalose synthesis, 521

disaccharide, Properties of maltose-inducible α -glucosidase MALL (sucrase-isomaltase-maltase) in *Bacillus subtilis*: evidence for its contribution to maltodextrin utilization, 167

dissemination, Super-integrans, 643

disulphide bridges, Comparison of secretion of a hepatitis C virus glycoprotein in *Saccharomyces cerevisiae* and *Kluyveromyces lactis*, 179

DNA binding proteins, HSA of *Staphylococcus aureus*, a new member of the HU family of bacterial histone-like proteins, 287

DNA compaction, Phage DNA transport across membranes, 499

DNA structure, Three views of microbial genomes, 775

DNA, Horizontal gene transfers in the environment: natural transformation as a putative process for

gene transfers between transgenic plants and microorganisms, 375 – DNA uptake signal sequences in naturally transformable bacteria, 603

DNA-DNA hybridization, Taxonomic study of bacteria isolated from Lebanese spring waters: proposal for *Pseudomonas cedrella* sp. nov. and *P. orientalis* sp. nov., 303

E

***eae* gene**, Heterogeneity of the *eae* genes in attaching/effacing *Escherichia coli* from cattle: comparison with human strains, 323

ecological niche, Comparison of iron uptake in different *Helicobacter* species, 475

energy coupling, Energy conservation in aerobically grown *Staphylococcus aureus*, 555

envelope, Phage DNA transport across membranes, 499

enzymatic activity, Pattern of changes in the activity of enzymes of GDP-D-mannuronic acid synthesis and in the level of transcription of *algA*, *algC* and *algD* genes accompanying the loss and emergence of mucoidy in *Pseudomonas aeruginosa*, 105

epidemic, Microevolution through DNA exchange among strains of *Neisseria meningitidis* isolated during an outbreak in the Czech Republic, 372

epidemiology, Study of the presence of *Campylobacter jejuni* and *C. coli* in sand samples from four Swiss chicken farms, 213 – Epidemiological typing of extended-spectrum β -lactamase-producing *Klebsiella pneumoniae* isolates by pulsed-field gel electrophoresis and antibiotic susceptibility patterns, 265

epitope, Recognition specificity of monoclonal antibodies which protect mice against *Salmonella typhimurium* infection, 385

Escherichia coli, Predictive modelling of fluorescent AFLF: a new approach to the molecular epidemiology of *E. coli*, 33 – Heterogeneity of the *eae* genes in attaching/effacing *Escherichia coli* from cattle: comparison with human strains, 323 – Two genes from the capsule of *Aeromonas hydrophila* (serogroup O:34) confer serum resistance to *Escherichia coli* K12 strains, 396 – Re-evaluation of antibiotic

and mercury resistance in *Escherichia coli* populations isolated in 1978 from Amazonian rubber tree tappers and Indians, 407 – 'Growth of bacterial cultures' 50 years on: towards an uncertainty principle instead of constants in bacterial growth kinetics, 413 – Temperature-dependent flagellar antigen phase variation in *Escherichia coli*, 457

estuary water, Nucleic acid extraction from polluted estuarine water for detection of viruses and bacteria by PCR and RT-PCR analysis, 143

evolution, Super-integrans, 643 – Paralogueous genes encoding transport proteins in microbial genomes, 691

exogenous, DNA uptake signal sequences in naturally transformable bacteria, 603

exonuclease VII, Genetic studies of a thermoregulated gene in the psychrotrophic bacterium *Pseudomonas fluorescens*, 447

exonuclease, Characteristics of Chi distribution on different bacterial genomes, 579

experimental infection, Microbiological and histological study of the gastrointestinal tract of germ-free mice infected with *Helicobacter troglontum*, 205

extended-spectrum β -lactamase, Epidemiological typing of extended-spectrum β -lactamase-producing *Klebsiella pneumoniae* isolates by pulsed-field gel electrophoresis and antibiotic susceptibility patterns, 265

F

***femA* gene**, Molecular characterization of *femA* from *Staphylococcus hominis* and *Staphylococcus saprophyticus*, and *femA*-based discrimination of staphylococcal species, 129

flagellar antigen, Temperature-dependent flagellar antigen phase variation in *Escherichia coli*, 457

flagellum, *Campylobacter coli* strains with enlarged flagellin genes isolated from river water, 247

Flavobacterium psychrophilum, Production of viable cultures of *Flavobacterium psychrophilum*: approach and control, 351

fluorescence, Predictive modelling of fluorescent AFLF: a new approach to the molecular epidemiology of *E. coli*, 33

G

GDP-D-mannuronic acid synthesis, Pattern of changes in the activity of enzymes of GDP-D-mannuronic acid synthesis and in the level of transcription of *algA*, *algC* and *algD* genes accompanying the loss and emergence of mucoidy in *Pseudomonas aeruginosa*, 105

gene amplification, PCR detection of aminoglycoside resistance genes: a rapid molecular typing method for *Acinetobacter baumannii*, 317

gene delivery, Phage DNA transport across membranes, 499

gene disruption, Molecular genetic characterisation of *whiB3*, a mycobacterial homologue of a *Streptomyces* sporulation factor, 295

gene expression, Secondary metabolites of *Aspergillus* exert immunobiological effects on human monocytes, 13

gene probe, Heterogeneity of the *eae* genes in attaching/effacing *Escherichia coli* from cattle: comparison with human strains, 323

gene shuffling, Combinatorial approach of bacteria to antibiotic resistance, 367

gene transfer, Genetic studies of a thermoregulated gene in the psychrotrophic bacterium *Pseudomonas fluorescens*, 447 - Functional and evolutionary roles of long repeats in prokaryotes, 727

gene *whiB*, Molecular genetic characterisation of *whiB3*, a mycobacterial homologue of a *Streptomyces* sporulation factor, 295

genetic characterization, Phenotypic and genetic diversity among *Bacillus sphaericus* strains isolated in Brazil, potentially useful as biological control agents against mosquito larvae, 153

genetic diversity, *Bacteroides fragilis* isolates compared by AP-PCR, 257

genome analysis, Characteristics of Chi distribution on different bacterial genomes, 579 - Short repeats and IS elements in the extremely radiation-resistant bacterium *Deinococcus radiodurans* and comparison to other bacterial species, 713

genome packaging, DNA repeats and archaeal nucleosome positioning, 703

genome plasticity, Repeated sequences in bacterial chromosomes and

plasmids: a glimpse from sequenced genomes, 737

genome structure, Repeated sequences in bacterial chromosomes and plasmids: a glimpse from sequenced genomes, 737

genome, bacterial, Novel intergenic repeats of *Escherichia coli* K-12, 647

genomic instability, Evolution of the linear chromosomal DNA in *Streptomyces*: is genomic variability developmentally modulated?, 439

genotype, PCR detection of aminoglycoside resistance genes: a rapid molecular typing method for *Acinetobacter baumannii*, 317

genotyping, Predictive modelling of fluorescent AFLF: a new approach to the molecular epidemiology of *E. coli*, 33 - Genetic relatedness between oral and intestinal isolates of *Porphyromonas endodontalis* by analysis of random amplified polymorphic DNA, 61

glucose transport, 'Growth of bacterial cultures' 50 years on: towards an uncertainty principle instead of constants in bacterial growth kinetics, 413

glutamate, Energy conservation in aerobically grown *Staphylococcus aureus*, 555

glycogen, Properties of maltose-inducible α -glucosidase Malt (sucrase-isomaltase-maltase) in *Bacillus subtilis*: evidence for its contribution to maltodextrin utilization, 167

glycoprotein E2, Comparison of secretion of a hepatitis C virus glycoprotein in *Saccharomyces cerevisiae* and *Kluyveromyces lactis*, 179

glycosylation, Mutants of *Kluyveromyces lactis* with altered protein glycosylation are affected in cell wall morphogenesis, 5

growth inhibition, Induction of lactate production associated with a decrease in NADH cell content enables growth resumption of *Clostridium cellulolyticum* in batch cultures on cellobiose, 465

gut, Molecular monitoring of human intestinal *Bifidobacterium* strain diversity, 343

H

Haemophilus influenzae, Occurrence and structure-function relationship of pentameric short sequence repeats in microbial genomes, 617

Haemophilus, DNA uptake signal sequences in naturally transformable bacteria, 603

helicase, Characteristics of Chi distribution on different bacterial genomes, 579

Helicobacter pylori, Membrane topology of CadA homologous P-type ATPase of *Helicobacter pylori* as determined by expression of *phoA* fusions in *Escherichia coli* and the positive inside rule, 507

Helicobacter trogontum, Microbiological and histological study of the gastrointestinal tract of germ-free mice infected with *Helicobacter trogontum*, 205

Helicobacter, Comparison of iron uptake in different *Helicobacter* species, 475

heme, Comparison of iron uptake in different *Helicobacter* species, 475

hepatitis C virus, Comparison of secretion of a hepatitis C virus glycoprotein in *Saccharomyces cerevisiae* and *Kluyveromyces lactis*, 179

histopathology, Microbiological and histological study of the gastrointestinal tract of germ-free mice infected with *Helicobacter trogontum*, 205

horizontal gene transfer, Horizontal gene transfers in the environment: natural transformation as a putative process for gene transfers between transgenic plants and microorganisms, 375

hydrolysis, Biodegradation of phenylbenzoate and some of its derivatives by *Scedosporium apiospermum*, 413

hydrophobicity, Effect of growth temperature on the biosynthesis of cell wall proteins from *Bifidobacterium globosum*, 117

I

identification, Molecular monitoring of human intestinal *Bifidobacterium* strain diversity, 343 - Distribution of *Staphylococcus sciuri* subspecies among human clinical specimens, and profile of antibiotic resistance, 531 - Identification of *Shigella* serotypes by restriction of amplified O-antigen gene cluster, 543

- ilvB gene**, Cloning of branched chain amino acid biosynthesis genes and assays of α -acetolactate synthase activities in *Leuconostoc mesenteroides* subsp. *cremoris*, 189
- immunoprotection**, Recognition specificity of monoclonal antibodies which protect mice against *Salmonella typhimurium* infection, 385
- immunosuppression**, Secondary metabolites of *Aspergillus* exert immunobiological effects on human monocytes, 13
- Indians**, Re-evaluation of antibiotic and mercury resistance in *Escherichia coli* populations isolated in 1978 from Amazonian rubber tree tappers and Indians, 407
- insects**, On the origins of wine yeast, 199
- insertion sequence**, IS elements as constituents of bacterial genomes, 677
- integron**, Super-integrans, 643
- intergenic region**, Short palindromic repetitive DNA elements in enterobacteria: a survey, 629
- interspersed repetitive sequences**, Large genomic sequence repetitions in bacteria: lessons from rRNA operons and *Rhs* elements, 667
- intestinal genogroup**, Genetic relatedness between oral and intestinal isolates of *Porphyromonas endodontalis* by analysis of random amplified polymorphic DNA, 61
- iron uptake**, Comparison of iron uptake in different *Helicobacter* species, 475
- K - L**
- Klebsiella pneumoniae**, Epidemiological typing of extended-spectrum β -lactamase-producing *Klebsiella pneumoniae* isolates by pulsed-field gel electrophoresis and antibiotic susceptibility patterns, 265
- Kluyveromyces lactis**, Mutants of *Kluyveromyces lactis* with altered protein glycosylation are affected in cell wall morphogenesis, 5 - Comparison of secretion of a hepatitis C virus glycoprotein in *Saccharomyces cerevisiae* and *Kluyveromyces lactis*, 179
- lactate**, Induction of lactate production associated with a decrease in NADH cell content enables growth resumption of *Clostridium cellulolyticum* in batch cultures on cellobiose, 465
- lactoferrin**, Comparison of iron uptake in different *Helicobacter* species, 475
- Leuconostoc mesenteroides** subsp. *cremoris*, Cloning of branched chain amino acid biosynthesis genes and assays of α -acetolactate synthase activities in *Leuconostoc mesenteroides* subsp. *cremoris*, 189
- lincomycin resistance**, Distribution of *Staphylococcus sciuri* subspecies among human clinical specimens, and profile of antibiotic resistance, 531
- linkages**, *Yarrowia lipolytica* cell wall architecture: interaction of Ywp1, a mycelian protein, with other wall components and the effect of its depletion, 105
- lipopolysaccharide**, Recognition specificity of monoclonal antibodies which protect mice against *Salmonella typhimurium* infection, 385
- liposomes**, Phage DNA transport across membranes, 499
- L-lactate**, Energy conservation in aerobically grown *Staphylococcus aureus*, 555
- locus of enterocyte effacement**, Heterogeneity of the *eae* genes in attaching/effacing *Escherichia coli* from cattle: comparison with human strains, 323
- luminescence**, Polyphasic approach to the characterisation of marine luminous bacteria, 221
- M**
- macrorestriction typing**, Epidemiological typing of extended-spectrum β -lactamase-producing *Klebsiella pneumoniae* isolates by pulsed-field gel electrophoresis and antibiotic susceptibility patterns, 265
- map position**, Molecular nature of RAPD markers from *Haemophilus influenzae* Rd genome, 83
- marine and industrial microbiology**, Oil-degrading *Acinetobacter* strain RAG-1 and strains described as '*Acinetobacter venetianus* sp. nov.' belong to the same genomic species, 69
- marine bacteria**, Polyphasic approach to the characterisation of marine luminous bacteria, 221
- mercury**, Re-evaluation of antibiotic and mercury resistance in *Escherichia coli* populations isolated in 1978 from Amazonian rubber tree tappers and Indians, 407
- metabolism**, Properties of maltose-inducible α -glucosidase Mall (sucrase-isomaltase-maltase) in *Bacillus subtilis*: evidence for its contribution to maltodextrin utilization, 167
- methicillin resistance**, Distribution of *Staphylococcus sciuri* subspecies among human clinical specimens, and profile of antibiotic resistance, 531
- microbial genetics**, Large genomic sequence repetitions in bacteria: lessons from rRNA operons and *Rhs* elements, 667
- microbial nutrition**, Production of viable cultures of *Flavobacterium psychrophilum*: approach and control, 351
- microbiological control**, Secondary metabolites of *Aspergillus* exert immunobiological effects on human monocytes, 13
- microsatellites**, Trinucleotide repeats and other microsatellites in yeasts, 589
- molecular sequence data**, *Campylobacter coli* strains with enlarged flagellin genes isolated from river water, 247
- molecular switch**, Occurrence and structure-function relationship of pentameric short sequence repeats in microbial genomes, 617
- molecular typing**, Microevolution through DNA exchange among strains of *Neisseria meningitidis* isolated during an outbreak in the Czech Republic, 372
- monoclonal antibody**, Recognition specificity of monoclonal antibodies which protect mice against *Salmonella typhimurium* infection, 385
- mosquito**, Phenotypic and genetic diversity among *Bacillus sphaericus* strains isolated in Brazil, potentially useful as biological control agents against mosquito larvae, 153
- motif extraction**, Promoter sequences and algorithmical methods for identifying them, 781
- motif searching**, Promoter sequences and algorithmical methods for identifying them, 781
- mucoïd phenotype**, Pattern of changes in the activity of enzymes of GDP-D-mannuronic acid synthesis and in the level of transcription of *algA*, *algC* and *algD* genes accom-

- panying the loss and emergence of mucoidy in *Pseudomonas aeruginosa*, 105
- multiplex PCR**, Molecular characterization of *femA* from *Staphylococcus hominis* and *Staphylococcus saprophyticus*, and *femA*-based discrimination of staphylococcal species, 129
- mutant**, Mutants of *Kluyveromyces fragilis* with altered protein glycosylation are affected in cell wall morphogenesis, 5
- Mycobacterium smegmatis**, Molecular genetic characterisation of *whiB3*, a mycobacterial homologue of a *Streptomyces* sporulation factor, 295
- mycology**, Trinucleotide repeats and other microsatellites in yeasts, 589
- Mycoplasma genitalium**, Three views of microbial genomes, 775
- N**
- NADH**, Induction of lactate production associated with a decrease in NADH cell content enables growth resumption of *Clostridium cellulolyticum* in batch cultures on cellobiose, 465
- natural transformation**, Horizontal gene transfers in the environment: natural transformation as a putative process for gene transfers between transgenic plants and microorganisms, 375 – Functional and evolutionary roles of long repeats in prokaryotes, 727
- Neisseria gonorrhoeae**, Occurrence and structure-function relationship of pentameric short sequence repeats in microbial genomes, 617
- Neisseria meningitidis**, Microevolution through DNA exchange among strains of *Neisseria meningitidis* isolated during an outbreak in the Czech Republic, 372
- Neisseria**, DNA uptake signal sequences in naturally transformable bacteria, 603
- nosocomial infection**, Epidemiological typing of extended-spectrum β -lactamase-producing *Klebsiella pneumoniae* isolates by pulsed-field gel electrophoresis and antibiotic susceptibility patterns, 265 – PCR detection of aminoglycoside resistance genes: a rapid molecular typing method for *Acinetobacter baumannii*, 317
- nucleic acid extraction**, Nucleic acid extraction from polluted estuarine water for detection of viruses and bacteria by PCR and RT-PCR analysis, 143
- nucleosome**, DNA repeats and archaeal nucleosome positioning, 703
- O – P**
- oligomer**, Characteristics of Chi distribution on different bacterial genomes, 579
- operator**, Recognition of regulatory sites by genomic comparison, 757
- oral genogroup**, Genetic relatedness between oral and intestinal isolates of *Porphyromonas endodontalis* by analysis of random amplified polymorphic DNA, 61
- ortho-pathway**, Biodegradation of phenylbenzoate and some of its derivatives by *Scedosporium apiospermum*, 413
- outer membrane receptor**, Phage DNA transport across membranes, 499
- oxidation**, Energy conservation in aerobically grown *Staphylococcus aureus*, 555
- palindrome**, Short palindromic repetitive DNA elements in enterobacteria: a survey, 629
- paralogue**, Paralogous genes encoding transport proteins in microbial genomes, 691
- Pasteurella haemolytica**, Occurrence and structure-function relationship of pentameric short sequence repeats in microbial genomes, 617
- pathogen detection**, Single DNA sequence common to all chlamydial species employed for PCR detection of these organisms, 483
- PCR and RT-PCR analysis**, Nucleic acid extraction from polluted estuarine water for detection of viruses and bacteria by PCR and RT-PCR analysis, 143
- PCR**, PCR detection of aminoglycoside resistance genes: a rapid molecular typing method for *Acinetobacter baumannii*, 317 – Detection of *Bordetella bronchiseptica* by the polymerase chain reaction, 333
- permease family**, Paralogous genes encoding transport proteins in microbial genomes, 691
- phase variation**, Temperature-dependent flagellar antigen phase variation in *Escherichia coli*, 457
- phenotype stability**, Re-evaluation of antibiotic and mercury resistance in *Escherichia coli* populations isolated in 1978 from Amazonian rubber tree tappers and Indians, 407
- phenotypic characterization**, Phenotypic and genetic diversity among *Bacillus sphaericus* strains isolated in Brazil, potentially useful as biological control agents against mosquito larvae, 153
- phenylbenzoate**, Biodegradation of phenylbenzoate and some of its derivatives by *Scedosporium apiospermum*, 413
- phoA**, Membrane topology of CadA homologous P-type ATPase of *Helicobacter pylori* as determined by expression of *phoA* fusions in *Escherichia coli* and the positive inside rule, 507
- phylogeny**, The role of the codon first letter in the relationship between genomic GC content and protein amino acid composition, 21
- plasmid**, Re-evaluation of antibiotic and mercury resistance in *Escherichia coli* populations isolated in 1978 from Amazonian rubber tree tappers and Indians, 407
- polymorphism (genetics)**, Large genomic sequence repetitions in bacteria: lessons from rRNA operons and *Rhs* elements, 667
- Porphyromonas endodontalis**, Genetic relatedness between oral and intestinal isolates of *Porphyromonas endodontalis* by analysis of random amplified polymorphic DNA, 61
- postive inside rule**, Membrane topology of CadA homologous P-type ATPase of *Helicobacter pylori* as determined by expression of *phoA* fusions in *Escherichia coli* and the positive inside rule, 507
- primer**, Predictive modelling of fluorescent AFLF: a new approach to the molecular epidemiology of *E. coli*, 33
- primer-template annealing site**, Molecular nature of RAPD markers from *Haemophilus influenzae* Rd genome, 83
- prokaryotes**, Promoter sequences and algorithmical methods for identifying them, 781
- promoter**, Promoter sequences and algorithmical methods for identifying them, 781
- protein analysis**, *Yarrowia lipolytica* cell wall architecture: interaction of Ywp1, a mycelian protein, with

- other wall components and the effect of its depletion, 105
- protein-DNA interactions**, HSA of *Staphylococcus aureus*, a new member of the HU family of bacterial histone-like proteins, 287
- Pseudomonas aeruginosa***, Pattern of changes in the activity of enzymes of GDP-D-mannuronic acid synthesis and in the level of transcription of *algA*, *algC* and *algD* genes accompanying the loss and emergence of mucoidy in *Pseudomonas aeruginosa*, 105 – β -lactamase-mediated resistance to extended spectrum cephalosporins among clinical isolates of *Pseudomonas aeruginosa*, 403
- Pseudomonas fluorescens***, Genetic studies of a thermoregulated gene in the psychrotrophic bacterium *Pseudomonas fluorescens*, 447
- Pseudomonas***, Taxonomic study of bacteria isolated from Lebanese spring waters: proposal for *Pseudomonas cedrella* sp. nov. and *P. orientalis* sp. nov., 303
- R**
- RAPD amplification**, Molecular nature of RAPD markers from *Haemophilus influenzae* Rd genome, 83
- RAPD sequence**, Molecular nature of RAPD markers from *Haemophilus influenzae* Rd genome, 83
- RAPD**, Genetic relatedness between oral and intestinal isolates of *Porphyromonas endodontalis* by analysis of random amplified polymorphic DNA, 61 – Polyphasic approach to the characterisation of marine luminous bacteria, 221
- rearrangements**, Repeated sequences in bacterial chromosomes and plasmids: a glimpse from sequenced genomes, 737
- RecBCD**, Characteristics of Chi distribution on different bacterial genomes, 579
- recombination**, Horizontal gene transfers in the environment: natural transformation as a putative process for gene transfers between transgenic plants and microorganisms, 375 – Characteristics of Chi distribution on different bacterial genomes, 579 – Trinucleotide repeats and other microsatellites in yeasts, 589
- reconstitution of flora**, Molecular monitoring of human intestinal *Bifidobacterium* strain diversity, 343
- regulation**, Temperature-dependent flagellar antigen phase variation in *Escherichia coli*, 457 – Recognition of regulatory sites by genomic comparison, 757
- repeat**, Short palindromic repetitive DNA elements in enterobacteria: a survey, 629
- repeated sequences**, Short repeats and IS elements in the extremely radiation-resistant bacterium *Deinococcus radiodurans* and comparison to other bacterial species, 713
- repetitive DNA**, Three views of microbial genomes, 775
- repetitive sequence**, Super-integrins, 643 – Novel intergenic repeats of *Escherichia coli* K-12, 647
- replication slippage**, Trinucleotide repeats and other microsatellites in yeasts, 589
- repressor**, Recognition of regulatory sites by genomic comparison, 757
- resistance**, Re-evaluation of antibiotic and mercury resistance in *Escherichia coli* populations isolated in 1978 from Amazonian rubber tree tappers and Indians, 407
- reverse hybridization**, Molecular characterization of *femA* from *Staphylococcus hominis* and *Staphylococcus saprophyticus*, and *femA*-based discrimination of staphylococcal species, 129
- rfb gene cluster**, Identification of *Shigella* serotypes by restriction of amplified O-antigen gene cluster, 543
- rhizosphere**, Isolation and characterisation of a new antagonistic *Burkholderia* strain from the rhizosphere of healthy tomato plants, 45
- RNA, bacterial**, *Campylobacter coli* strains with enlarged flagellin genes isolated from river water, 247
- RNA, ribosomal**, *Campylobacter coli* strains with enlarged flagellin genes isolated from river water, 247
- rodent helicobacters**, Microbiological and histological study of the gastrointestinal tract of germ-free mice infected with *Helicobacter troglodytes*, 205
- rRNA gene restriction pattern**, Molecular monitoring of human intestinal *Bifidobacterium* strain diversity, 343
- rRNA genes**, Large genomic sequence repetitions in bacteria: lessons from rRNA operons and *Rhs* elements, 667
- rubber tree tappers**, Re-evaluation of antibiotic and mercury resistance in *Escherichia coli* populations isolated in 1978 from Amazonian rubber tree tappers and Indians, 407
- S**
- 16S rDNA**, Polyphasic approach to the characterisation of marine luminous bacteria, 221 – Taxonomic study of bacteria isolated from Lebanese spring waters: proposal for *Pseudomonas cedrella* sp. nov. and *P. orientalis* sp. nov., 303
- Saccharomyces cerevisiae***, Comparison of secretion of a hepatitis C virus glycoprotein in *Saccharomyces cerevisiae* and *Kluyveromyces lactis*, 179 – On the origins of wine yeast, 199
- Salmonella typhimurium***, Recognition specificity of monoclonal antibodies which protect mice against *Salmonella typhimurium* infection, 385
- Scedosporium apiospermum***, Biodegradation of phenylbenzoate and some of its derivatives by *Scedosporium apiospermum*, 413
- sequence analysis**, Tandem repeats in complete bacterial genome sequences: sequence and structural analyses for comparative studies, 747
- sequence comparison**, The role of the codon first letter in the relationship between genomic GC content and protein amino acid composition, 21
- sequencing**, Polyphasic approach to the characterisation of marine luminous bacteria, 221
- serotyping**, Identification of *Shigella* serotypes by restriction of amplified O-antigen gene cluster, 543
- Shigella***, Identification of *Shigella* serotypes by restriction of amplified O-antigen gene cluster, 543
- short sequence repeat**, Occurrence and structure-function relationship of pentameric short sequence repeats in microbial genomes, 617
- siderophore**, Comparison of iron uptake in different *Helicobacter* species, 475
- slipped strand mispairing**, Occurrence and structure-function relationship of pentameric short sequence repeats in microbial genomes, 617
- sporulation**, Molecular genetic characterisation of *whiB3*, a mycobacterial homologue of a *Streptomyces* sporulation factor, 295

- spring water**, Taxonomic study of bacteria isolated from Lebanese spring waters: proposal for *Pseudomonas cedrella* sp. nov. and *P. orientalis* sp. nov., 303
- Staphylococcus aureus***, Energy conservation in aerobically grown *Staphylococcus aureus*, 555
- Staphylococcus sciuri***, Distribution of *Staphylococcus sciuri* subspecies among human clinical specimens, and profile of antibiotic resistance, 531
- Staphylococcus***, Molecular characterization of *femA* from *Staphylococcus hominis* and *Staphylococcus saprophyticus*, and *femA*-based discrimination of staphylococcal species, 129
- starch**, Properties of maltose-inducible α -glucosidase MalL (sucrase-isomaltase-maltase) in *Bacillus subtilis*: evidence for its contribution to maltodextrin utilization, 167
- strain RAG-1**, Oil-degrading *Acinetobacter* strain RAG-1 and strains described as '*Acinetobacter venetianus* sp. nov.' belong to the same genomic species, 69
- Streptomyces coelicolor***, Molecular genetic characterisation of *whiB3*, a mycobacterial homologue of a *Streptomyces* sporulation factor, 295
- Streptomyces***, Evolution of the linear chromosomal DNA in *Streptomyces*: is genomic variability developmentally modulated?, 439
- structural model**, Tandem repeats in complete bacterial genome sequences: sequence and structural analyses for comparative studies, 747
- subspecies**, Distribution of *Staphylococcus sciuri* subspecies among human clinical specimens, and profile of antibiotic resistance, 531
- superfamily**, Paralogous genes encoding transport proteins in microbial genomes, 691
- T**
- tandem repeat sequence**, Tandem repeats in complete bacterial genome sequences: sequence and structural analyses for comparative studies, 747
- taxonomy**, Oil-degrading *Acinetobacter* strain RAG-1 and strains described as '*Acinetobacter venetianus* sp. nov.' belong to the same genomic species, 69 – Taxonomic study of bacteria isolated from Lebanese spring waters: proposal for *Pseudomonas cedrella* sp. nov. and *P. orientalis* sp. nov., 303
- temperature-inducible proteins**, Effect of growth temperature on the biosynthesis of cell wall proteins from *Bifidobacterium globosum*, 117
- Thermus***, The role of the codon first letter in the relationship between genomic GC content and protein amino acid composition, 21
- thermal regulation**, Genetic studies of a thermoregulated gene in the psychrotrophic bacterium *Pseudomonas fluorescens*, 447
- thermophile**, The role of the codon first letter in the relationship between genomic GC content and protein amino acid composition, 21
- tomato**, Isolation and characterisation of a new antagonistic *Burkholderia* strain from the rhizosphere of healthy tomato plants, 45
- topology**, Membrane topology of CadA homologous P-type ATPase of *Helicobacter pylori* as determined by expression of *phoA* fusions in *Escherichia coli* and the positive inside rule, 507
- TPS1**, Trehalose hydrolysis is not required for human serum-induced dimorphic transition in *Candida albicans*: evidence from a *ps1/tps1* mutant deficient in trehalose synthesis, 521
- tps1/tps1***, Trehalose hydrolysis is not required for human serum-induced dimorphic transition in *Candida albicans*: evidence from a *ps1/tps1* mutant deficient in trehalose synthesis, 521
- transcription**, Recognition of regulatory sites by genomic comparison, 757
- transgenic plant**, Horizontal gene transfers in the environment: natural transformation as a putative process for gene transfers between transgenic plants and microorganisms, 375
- transport protein**, Paralogous genes encoding transport proteins in microbial genomes, 691
- trehalose**, Trehalose hydrolysis is not required for human serum-induced dimorphic transition in *Candida albicans*: evidence from a *ps1/tps1* mutant deficient in trehalose synthesis, 521
- trinucleotide repeats**, Trinucleotide repeats and other microsatellites in yeasts, 589
- U – Z**
- universal primers**, Single DNA sequence common to all chlamydial species employed for PCR detection of these organisms, 483
- uptake**, DNA uptake signal sequences in naturally transformable bacteria, 603
- vanadate**, Mutants of *Kluyveromyces lactis* with altered protein glycosylation are affected in cell wall morphogenesis, 5
- viability**, Production of viable cultures of *Flavobacterium psychrophilum*: approach and control, 351
- Vibrionaceae**, Polyphasic approach to the characterisation of marine luminous bacteria, 221
- virulence**, *Campylobacter coli* strains with enlarged flagellin genes isolated from river water, 247
- wcaJ**, Two genes from the capsule of *Aeromonas hydrophila* (serogroup O:34) confer serum resistance to *Escherichia coli* K12 strains, 396
- whole genome sequence**, Occurrence and structure-function relationship of pentameric short sequence repeats in microbial genomes, 617
- wine yeast**, On the origins of wine yeast, 199
- XlnR**, CreA modulates the XlnR-induced expression on xylose of *Aspergillus niger* genes involved in xylan degradation, 281
- xylanolytic gene**, CreA modulates the XlnR-induced expression on xylose of *Aspergillus niger* genes involved in xylan degradation, 281
- xylose**, CreA modulates the XlnR-induced expression on xylose of *Aspergillus niger* genes involved in xylan degradation, 281
- Yarrowia lipolytica***, *Yarrowia lipolytica* cell wall architecture: interaction of Ywp1, a mycelian protein, with other wall components and the effect of its depletion, 105
- Ywp1 protein**, *Yarrowia lipolytica* cell wall architecture: interaction of Ywp1, a mycelian protein, with other wall components and the effect of its depletion, 105

